

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1-6. (canceled)

1 ~~7.~~ (currently amended) ~~The lid of claim 54,~~ A lid for use with a container,
comprising:

a panel of unitary construction comprising a first closure and a second closure,
the panel being configured to latch the second closure in an open position;

a first dispensing opening in the panel, the first closure being configured to at
least partially cover the first dispensing opening; and

a second dispensing opening in the first closure, the second closure being
configured to cover the second dispensing opening,

wherein the second closure is configured to latch the first closure in an open
position and the first closure includes a first flap configured to pivot about a first axis and
the second closure includes a second flap configured to pivot about a second axis, the
first and second axes being substantially parallel to one another.

2 ~~8.~~ (original) The lid of claim ~~7,~~¹ wherein the first flap and the second flap are
configured to pivot in a same first direction when closing the lid and in a same second
direction when exposing the first dispensing opening.

9-12. (canceled)

3 13. (currently amended) ~~The closure of claim 12,~~ A lid for use with a container,
comprising:

a panel of unitary construction comprising a first flap and a second flap, the panel
being configured to latch the second flap in an open position; and

a dispensing opening in the panel, the first flap being configured to reduce a size
of the dispensing opening, the second flap being configured to close the dispensing
opening.

wherein the first flap includes a plurality of resilient members configured to
receive a straw and maintain engagement with the straw and ~~wherein~~ the first flap is
configured to pivot about a first axis and the second flap is configured to pivot about a
second axis, the first and second axes being substantially parallel to one another.

4 14. (currently amended) ~~The closure lid of claim 13,~~ ³ wherein the first flap and
the second flap are configured to pivot in a same first direction when closing the lid and
in a same second direction when exposing the first dispensing opening.

15-18. (cancelled)

5 19. (currently amended) A container assembly comprising:

a container; and

³
a lid according to claim 13 on the container, ~~The assembly of claim 15, wherein~~
~~the first flap is configured to pivot about a first axis and the second flap is configured to~~

pivot about a second axis, the first and second axes being substantially parallel to one another.

⁶ 20. (previously presented) The assembly of claim ⁵ 19, wherein the first flap and the second flap are configured to pivot in a same first direction when closing the closure and in a same second direction when exposing the first dispensing opening.

21-26. (cancelled)

~~7~~ 27. (currently amended) ~~The closure of claim 23,~~ A lid for use with a container, comprising:

a panel comprising a first flap and a second flap, the panel being configured to latch the second flap in an open position;

a first dispensing opening in the panel; and

a second dispensing opening in the first flap, the first flap being pivotal between an open position exposing the first dispensing opening and a closed position modifying the first dispensing opening to the second dispensing opening, and the second flap being pivotal between an open position exposing the first flap and the second dispensing opening and a closed position covering the first flap and the second dispensing opening.

wherein the panel, first flap, and second flap are formed as a single piece of unitary construction.

wherein the second dispensing opening is configured to receive a straw and the first flap includes a plurality of resilient members configured to receive the straw and maintain engagement with the straw, and

wherein the first flap is configured to pivot about a first axis and the second flap is configured to pivot about a second axis, the first and second axes being substantially parallel to one another.

8 ~~28~~ (currently amended) The closure of claim ~~[[23]]~~ ⁷ ~~27~~, wherein the first flap and the second flap are configured to pivot in a same first direction when closing the lid and in a same second direction when exposing the first dispensing opening.

29-45. (canceled)

9 ~~46~~ (currently amended) ~~The assembly of claim 42,~~ A container assembly,
comprising:

a container; and

a lid according to claim ¹ ~~7~~ on the container.

~~wherein the first closure is configured to pivot about a first axis and the second closure is configured to pivot about a second axis, the first and second axes being substantially parallel to one another.~~

10 9
47. (previously presented) The assembly of claim 46, wherein the first closure and the second closure are configured to pivot in a same first direction when closing the lid and in a same second direction when exposing the first dispensing opening.

48-54. (cancelled)

11 55. (currently amended) ~~The closure of claim 12,~~ A lid for use with a container,
comprising:

a panel of unitary construction comprising a first flap and a second flap, the panel being configured to latch the second flap in an open position; and

a dispensing opening in the panel, the first flap being configured to reduce a size of the dispensing opening, the second flap being configured to close the dispensing opening,

wherein the first flap includes a plurality of resilient members configured to receive a straw and maintain engagement with the straw and [[wherein]] the second flap is configured to latch the first flap in an open position.

12 56. (currently amended) ~~The closure of claim 23,~~ A lid for use with a container,
comprising:

a panel comprising a first flap and a second flap, the panel being configured to latch the second flap in an open position;

a first dispensing opening in the panel; and

• a second dispensing opening in the first flap, the first flap being pivotal between an open position exposing the first dispensing opening and a closed position modifying the first dispensing opening to the second dispensing opening, and the second flap being pivotal between an open position exposing the first flap and the second dispensing opening and a closed position covering the first flap and the second dispensing opening.

• wherein the panel, first flap, and second flap are formed as a single piece of unitary construction and [[wherein]] the second flap is configured to latch the first flap in an open position.